

Original Article

Hybrid Quantum Classical Deep Learning Models for Real-Time Intelligent Systems

Tareq Ahmed¹, Samer Abrar², Tarbiat Modares³^{1,2,3} University Department of Electrical and Computer Science, Iran

Received Date: 01 March 2026

Revised Date: 15 March 2026

Accepted Date: 28 March 2026

Abstract

Artificial intelligence (AI) and Quantum Computing are two rapidly advancing technological areas, which can present new opportunities for designing intelligent systems with the ability to perform adaptive learning, especially when considering real-time applications that require significant computational capacity. With the advent of hybrid quantum-classical deep learning models: a completely new paradigm that combines well performing classical neural networks with computational advantages given by quantum mechanics phenomena such as superposition, entanglement and parallelism into one model type—models strong on both supervised and unsupervised tasks. Abstract here, we address architectural design, optimization methods and real-time implementation of hybrid quantum-classical systems. Quantum circuits learn all the feature representations and speed up calculations which, in real-time under classical computation will become frustratingly intensive, however, deep learning frameworks scale up using computing resources running independently of quantum processes.

It investigates novel hybrid architectures including, e.g., Variational quantum circuits and deep neural networks hybrids and evaluates implemented applications of the new ones for intelligent real-time systems as e.g. autonomous vehicles or smart healthcare monitors as well industrial automations from now until at least October 2023. Novel approaches like quantum-informed training techniques and hybrid optimizers are effectively solving major problems in the industry including noise due to quantum hardware, data encoding constraints, and scalability limitations.

Moreover, it designs a novel latency-aware hybrid learning framework to ensure effective decision-making within time-sensitive situations. It has been shown by both experimental evidence and theoretical analysis that purely classical approaches can be outperformed in hybrid models, particularly for high-dimensional data problems that require complex optimization. Lastly, integrated with quantum fault-tolerant computing and adaptive hybrid learning ecosystems, some future directions are laid as conclusions in the end of research.

Keywords

Hybrid Quantum For AI At The Edge: Towards Meaningful Intelligence in Intelligent Systems From Deep Learning, Real-Time Systems And Variational Circuits Within Quantum Neural Networks

Introduction

The relationship and collaboration quantum computing and deep learning represents a new age in computational intelligence reshaping the modelling, operation and solution of complex problems across modern technological ecosystems. Over the last ten years, classical deep learning has made great strides in many fields including image recognition, natural language processing or speech synthesis and predictive analytics. Architectures such as work on convolutional neural networks and transformer-based models have enabled machines to operate with level performance, or in some cases superior to human levels of specific tasks. These major results, while historically impressive neural networks can still reach hard limits in terms of working with large datasets that often grow exponentially over years, ultra-high-dimensional feature spaces and producing online decision making solutions. This mainly stems from its computational bottlenecks, energy consumption and inadequacies in large solution space search.

Then, which in a new processing style is writing on the rules of quantum mechanics (e.g. superposition and entanglement), quantum mechanical calculation is all unlike classical bits that are bound to the digital realm of 0 and 1, quantum bits (more simply stated as qubits) exist such that they can embody many numbers at once giving way to a universe of parallel computation. This natural parallelism allows quantum systems to easily calculate



complex probabilistic relationships and carry out large-scale optimizations that are beyond the capabilities of conventional counterparts. Entanglement introduces another level of computational potential by establishing very strong correlations between qubits in such a way that any operation on the first qubit becomes instantly linked to other connected qubits. These capabilities lead to quantum computing being a fundamental technology for a vast class of problems that classical systems cannot solve.

It is in such manner that hybrid quantum–classical instances arise from which the strength of quantum computing may walk hand-in-hand with its classical peers. In these models, quantum processors are primarily responsible for narrow use of a computational-subtask such as: feature mapping, optimization or probabilistic sampling with classical neural networks taking care of data pre-processing, model training and large-scale deployment. This hybridization ensures that the limitations of present quantum hardware—such as deadlocks, decoherence and small qubit numbers—are prevented by classical systems in terms of robustness and scalability. Hybrid models then, represent a more tempered route to true quantum advantage in reality.

Real-time intelligent systems arguably have one of the most critical application domains in hybrid quantum–classical models. They operate in dynamic environments, where time itself is an immutable limitation on decisions and the data streams change over time. Examples include: self-driving cars determining how to navigate an increasingly complex traffic situation, a smart city implement that regulates energy and transportation networks in real-time, health monitoring systems delivering alarmingly quick diagnoses or industrial automation networks attempting to optimize the manufacturing process — etc. In such scenarios, delays or inefficiencies in computation can lead to performance deterioration and even pose safety risks.

Hybrid models can circumvent these problems for hybrid and paired effective previous workloads of classical and quantum units. This is another example of data-intensive tasks that can be tackled on quantum processors so classical systems/endpoints are not burdened in the case of high-dimensional optimization or probabilistic inference, among others. On the other hand, traditional architectures win big on the aspects like stability & reliability Scalability and compatibility with existing infrastructures. When used together, it increases processing speed and improves the accuracy and robustness of intelligent systems in real-time.

Learning paradigms can also be revolutionized by hybrid quantum–classical systems. Gradient-based optimization methods, the workhorse of traditional deep learning models, struggle with local minima, vanishing gradients, and slow convergence in non-convex landscapes. One example is that quantum-enhanced optimization methods—such as Variational quantum circuits—provide a promising way to search solution spaces. This behaviour allows models to capture intricate relationships and connections in the data, leading to superior learning performances and generalization capabilities.

However, hybrid quantum–classical models are promising and still in the early days of development. High-level problems (e.g., how to encode classical data into quantum states, how to connect a quantum circuit with the current existing classical architecture and create an algorithm that is resilient against noise) are still open works. A 2nd major milestone on the way to large scale application of these models, is also building scalable & fault tolerant quantum hardware.

The fundamental motivation for studying hybrid quantum–classical deep learning architectures in application to real-time intelligent systems is established in Chapter 2. It reveals the regions in which classical methods are inadequate, where quantum computing has an edge and— most importantly of all — shows how both paradigms are needed to tackle new computational challenges. This research provides an expanse on architectural design, optimization strategies, and system integration and application domains of hybrid intelligent systems in the quantum computing era by providing a unifying summary framework towards understanding and advancing




Figure 1: Hybrid Quantum–Classical Model Architecture

Quantum-Aided Data Representation And Feature Learning

How the data is represented and embedded (or transformed to) meaningful features has an immense impact on the performance of learning models in state-of-the-art intelligent systems. Traditional feature engineering and extraction techniques, on the other hand, fail to extract deep correlations and latent patterns in data which is growing complex, voluminous, and high-dimensional every passing day. Flexible quantum deep learning models that utilize new fundamental data representation through the use of quantum state spaces provide access to a broader range of potential data representations through better expressiveness and computational capabilities. This is a paradigm shift which is significant for customer facing real time intelligent systems as they have to win at both front (speed & accuracy).

It serves as a quantum-enhanced data representation by leveraging the principles of preposition and entanglement to represent classical data in states of qubits. Statistical representations for classical systems rely on the construction of specific features, whilst quantum systems inherently allow for complex probability distributions in a high-dimensional space (the Hilbert space). And that is why the hybrid models can use so few qubits to encode a huge volume of information, leading to exponentially higher representation power. Well the maps into quantum domains divide more, making harder identifying patterns in classical feature spaces. So this is helpful for the Model generalisation plus new data learning can be easily achieved!

One of the basic ideas about quantum-enhanced learning is Quantum feature maps These maps embed the classical input data as quantum states in higher dimensional space using parameterized quantum circuits. Which means that with this transformation, data points which are not linearly separable might now even get transformed in such a form where classification and prediction tasks are way easier. These quantum feature maps are utilised as a pre-processing layer for data translation before being passed to classical neural networks which is also called hybrid models. Such a tightly integrated system enables the learning era to leverage both the ample expressiveness of quantum systems and the stringent optimization strategies of classical learning's on leave.

The second substantial advantage of quantum feature learning is its ability to manage non-linear relationships efficiently. So do classical computational heavy models with multiple non linear approximating activation functions as they also need more layers which take longer to train. For e.g. While the classical circuits need several lines of code to run multi-variable (multi-qubits) transformations, quantum circuits allow performing complex transformations implicitly using unitary operations and entanglement which potentially allows capturing non-linear dependencies in a lesser number of steps in computation. This leads not only to shallower classical networks needing to be used, but also enables a more efficient hybrid system overall.

Processes for ultra-high-speed data are an essential service offered by real-time intelligent systems. Instantaneous interpretation is needed for constant streaming of data from sources like autonomous vehicles, smart healthcare monitoring and industrial automation. And quantum-enhanced feature extraction can be a way to apply parallel transformations of the data, by accelerating this process. It can then respond more quickly since some computation will be pushed off to quantum processors and hence latency reduced. This is particularly advantageous in scenarios where safety and performance depend on prompt actions. Additionally, hybrid models support adaptive feature learning by letting the system upend its mapping of data when new input is received. This adaptively is materialised with a feedback approach between classical optimisation algorithms and quantum circuits. During training, classical optimizers iteratively modify the circuit parameters so that feature mappings are improved, creating a feedback cycle. Therefore, this process is repeated so that over time the model can learn progressively from its environment with better resilience to drifting data distributions or environments which trigger a notice.

Although the quantum-enhanced data representation would definitely have benefits, it may also have challenges. Encoding classical data to quantum states is non-trivial, and it usually requires a trade-off between the representation precision and the number of available qubits (or some other advantages) [23]. Noise and the dearth of qubits available are issues that currently plague quantum hardware, but pose an even bigger threat to quality feature transformation. However, areas in quantum error mitigation and hardware optimization are progressively fixing these issues resulting in, hybrid approaches being an ever more realistic alternative.

Title: Training hybrid quantum-classical deep learning models using quantum-inspired feature finding and data representation. Abstract: Hybrid quantum-classical deep learning models offer potential for the development of powerful new types of neural networks, at least in theory, leveraging the advantages offered by more efficient data representation and/or finding applicable features enhanced with quantum computation. This framework joins the power of expressiveness of quantum systems and robustness of classical neural network that provides a new synergy that enhanced as a solution in providing high-dimensional and complicated data manipulation for real-time intelligent systems. This serves to not only speed up and increase the accuracy of learning, but it is also a key pillar for next-gen intelligent technologies to operate successfully in ever-changing data-rich environments.

Hybrid Quantum–Classical Model Architecture Chapter Three

The design strategy (or architecture) of hybrid quantum–classical models has a decisive impact on their efficiency, scalability, and observe as a-component in an intelligent system that works for real-time decision-making. These architectures are designed to incorporate quantum computing elements alongside classical deep learning frameworks enabling the system to exploit benefits of both paradigms. Hybrid architectures offer a balanced approach that relies upon combining aspects of purely classical or purely quantum models to account for the current technology limitations, while continuing to pursue performance efficiencies. In this chapter, the major Architectural Frameworks and their role and significance in an advanced intelligent system are discussed.

A. Sequential Hybrid Architecture

Sequential hybrid architecture is one of the most popular configuration types in hybrid modeling. This method embeds Quantum Circuits as classes in classical Neural Networks Data passed through classical layers is fed into quantum states, processed by a quantum circuit and recused to the classical layers before output. This layout enables quantum parts to behave as domain-specific features extractors defining the expressiveness degree of the model.

Implementation of sequential architectures is straightforward and any deep learning framework can be used. They can be integrated into classical pipelines without requiring a complete overhaul of the infrastructure. Third, a model can utilize quantum layers by placing them at certain locations in DSN (like feature extraction stages in state-of-the-art architectures). Certain tasks, such as image classification, speech recognition, and predictive analytics are particularly well-suited for sequential hybrid models.

B. Parallel Hybrid Architecture

A relatively advanced type of hybrid architecture is a parallel architecture, where quantum and classical models run independently from each other as well concurrently. In this format, both quantum circuits and classical neural networks receive identical input data but evaluated separately. The outputs from these parallel processes are then blended into a single output typically through one of two methods, either weighted average or fused in layer to produce the final output.

This architecture adds a layer of fault-tolerance and availability by reporting the two systems in parallel. Classical models offer stability and better scalability; quantum models find the inherent features of the data much better through effective representations and therefore enable quick probabilistic reasoning. A parallel architecture really shines in multi-modal applications such as processing visual, textual or even sensor data on the fly. The computational load is spread out, thus increasing efficiency and minimizing chances of system performance degradation in case the property in question pertains to real-time systems.

C. Feedback-Based Hybrid Architecture

Feedback hybrid architecture allows quantum and classical components to work together in an iterative manner. In this configuration, one of these systems feeds back into the other for further refinement. E.g. you may have a classical neural net that processes the data, throws it to your quantum circuit, and uses its output to update the parameters of the models using rotation gates. An endlessly self-perpetuating feedback loop that facilitates adaptable learning and just-in-time optimization. Feedback architectures work best in situations when they evolve across time. And adjust to how the data changes. It this property that makes them particularly well-suited to real time intelligent systems running in dynamic environments: financial markets, autonomous systems (such as drone robotics), adaptive control systems. However, the complexity of control and on-going coupling with quantum classic systems has made it a necessity to be well test in addition some aspects.

D. Comparison of Hybrid Architectures

Table 1: Summarizing the Differences/Pros/Cons of These Architectures.

Architecture Type	Description	Advantages
Sequential Hybrid	Quantum layers are integrated within classical neural networks, where data flows sequentially between classical and quantum components.	Improved feature extraction, simple implementation, easy integration with existing models
Parallel Hybrid	Quantum and classical modules operate independently and simultaneously, and their outputs are combined for final results.	Enhanced robustness, supports multi-modal data processing, better performance reliability
Feedback Hybrid	Continuous interaction between quantum and classical systems through feedback loops for iterative improvement.	Adaptive learning, dynamic optimization, improved accuracy over time

Each architecture has particular benefits that an application will take advantage of, depending on their needs. Sequential models work well with simple merging, Parallel models tackle independent sources of information nicely enough, and feedback models give the lazy flexibility needed in ever-changing situations.

E. Design Considerations for Real Time Systems

The hybrid architectures have many considerations when it comes to implementation in real-time intelligent systems. Latency: Latency is a big problem since quantum computation usually requires communication with remote quantum processors. Encode the data efficiently and reduce circuit depth to mitigate idle times. Scalability is another important aspect which translates to product architecture needing to be modular in nature so as to allow handling of increasing data loads and growing system complexities. In edge environments, with limitations on key resources, energy efficiency is vital. This implies that hybrid architectures must be created in a sustainable fashion, with the computational demand properly allocated between quantum and classical segments. Reliability and fault tolerance is yet another essential property, particularly given the current state of quantum hardware.

Architecture is crucial for the functioning and efficiency of hybrid quantum–classical models. Well-designed adjusted futuristic architectural configurations are critical to developing competent and flexible intelligent systems. These systems will make the pillars of the next level with respect to real-time computational intelligence for structuring in its segment as well.

Data Encoding Techniques

One of the biggest challenges in quantum–classical deep learning systems is the effective encoding of classical data into quantum states. Take quantum computing for example, converting real world data to something that work with qubits versus classical bits. This transformation is directly proportional to the model as a whole success in terms of efficacy, accuracy and scalability. Poor kind of encoding is leads to information loss, unnecessary complexity of the quantum circuit and escalating computational costs while compact but effective kind exposes an efficient exploitation of the quantum advantage i.e. superposition and parallelism. As such, an appropriate data encoding method is a prerequisite for optimal performance of real-time intelligent systems. There are many methods of encoding classical information in quantum states and each carries its own advantages and disadvantages. These include amplitude encoding, angle encoding and basis encoding as the most common types. They also differ in how data is represented in qubits and how effectively they exploit quantum resources. The encoding method chosen is usually based on the size of the dataset, overall shape/size/dimensionality of it, limits of hardware capacity and needs dictated by application requirements.

Among all the possible encodings, amplitude encoding is considered one of the most space-efficient methods as it allows large amounts of data to be encoded into a small number of qubits. In this scheme, the classical data values are encoded in the amplitudes of a quantum state. As an example, a data set with 2^n elements can be represented using only n qubits. At high-dimensions amplitude encoding is particularly enticing due to the exponential compression. Yet generating such quantum states is an expensive computational procedure and in most systems involves sophisticated quantum circuits, thus leading to higher latency and involving challenges towards being employed in a real-time system.

In contrast, angle encoding is simple and more convenient. In this method classical data values are used and they are mapped with the rotation angles of the quantum gates, which can be either X axis steps, Y or Z. It is a trivial process to encode the dataset as each feature is encoded in a backing specification for what's written under a given qubit as well. Despite the quantum qubit efficiency of amplitude encoding, angle encoding is way easier to execute and resistant to noise. Therefore, this property is extremely appropriate for near-term quantum computers, and live applications where speed and fidelity of computation are more desirable than maximal compression.

Table 1: Quantum Data Encoding Methods in QML

Encoding Method	Description	Advantages	Limitations
Amplitude Encoding	Encodes classical data into the amplitudes of quantum states.	High data compression, efficient qubit usage	Complex implementation, high computational cost
Angle Encoding	Maps classical data values into rotation angles of quantum gates.	Simple, suitable for real-time applications, noise-tolerant	Requires more qubits
Basis Encoding	Directly maps binary data into qubit states (0 and 1).	Easy to implement, low complexity	Limited expressiveness, not suitable for large or continuous data

These traditional encoding steps works well with hybrid models but may not be suitable in all use cases. Moreover, real-time intelligent systems deal with dynamic and heterogeneous data that require flexible and

adaptive encoding. To address this very problem, in this work we introduce a new encoding strategy that dynamically activates the composition of each encoding methods based on attributes of input data.

Even the adaptive encoding framework will look into the dimensionality, distribution and processing requirements of data to decide what encode strategy is applicable. Angle encoding can be implemented in particular low-dimensional data with hard required latencies (e.g., images), whereas amplitude encoding is capable of representing a high-dimensional dataset that needs to be stored compactly. On occasions, hybrid encoding schemes are used - which means different components of the data is encoded with different mechanisms but by the same model.

Table 2: Adaptive Data Encoding Selection

Data Scenario	Selected Encoding	Reason
High-dimensional dataset	Amplitude Encoding	Minimizes qubit usage and enables efficient data compression
Real-time streaming data	Angle Encoding	Faster execution, stable performance, suitable for real-time systems
Binary structured data	Basis Encoding	Simple mapping, low computational complexity
Mixed data types	Hybrid Encoding	Combines strengths of multiple encoding methods for flexibility

By this adaptive approach, it also improves the versatility and efficiency of hybrid quantum-classical models for performing well across multiple different use cases. The system benefit from adaptive encoding strategy selection, which allows it to optimize not only for accuracy but also for compute and memory resources, on the fly

Finally, noting that data encoding is a fundamental aspect of hybrid quantum-classical deep learning systems. Encoding type is quite important in terms of model performance and even more so for real-time environment where inference speed matters. While amplitude, angle and basis encoding all each offer their own unique advantages over one another, moving towards adaptive encoding strategies is certainly a new frontier. They represent a promising method of marrying the properties needed for more intelligent and application-oriented systems, but they overcome several relevant limitations (e.g. scalability, latency, and learning) through wise selection of both encoding methods and methodical fusion.

Deep Learning With Variational Quantum Circuits

In the context of deep learning, Variational Quantum Circuits (VQCs) have now entered as building blocks of hybrid quantum-classical models and have become the go to tool by providing flexibility and tenability for tapping on the benefits of quantum computation. Unlike fixed quantum circuits, VQCs have parameterized quantum gates, whose parameters can be varied using classical optimization algorithms. This hybrid training mechanism allows VQCs to behave in a similar analog to neural networks, in that one propagates information by iteratively updating parameters to minimize some specified loss function. Thus, VQCs enable, in an era of limited-access to practical quantum hardware, the creation of a quantum neural networks that can solve nontrivial learning tasks.

A. Variational Quantum Circuits Structures Examples

The three main components of a VQC are the following: encoders, parameterized quantum gates (also referred to as Variational layers) and measurement operations. Classical data to quantum states is the first step and methods such as angle or amplitude encoding fall into this category. The quantum state is then passed through a sequence of parameterized gates -- also known as an ersatz circuit. These gates rotate and entangle the quantum state to prepare it as a latter for information extraction.

Finally you perform a Measurement of the Quantum State; this might give classical outputs that might be inserted in a loss function. By updating the parameters of the quantum gates iteratively through classical optimization algorithms, a feedback loop with quantum computing and classical learning is formed. Such allows simulating complex, non-linear relationships in the provided data while remaining compatible with established deep learning framework.

A Novel Approach to Represent Continuous Signals on Quantum Neural Networks and Learning Mechanism¹⁰. 10645247Introduction• In classical machine learning, data resides in particular locations – each coordinate point on a grid or the best approximation of the function being used [3].

The core of quantum neural networks (QNNs) is a VQC, which can be seen as a specific kind of model that we can train. Similar to classical neural networks, traces relevant patterns in the data and minimize error through adjustment of these parameters. However, the learning process in VQCs is built on quantum effects like superposition and entanglement which leads to better representations.

The training process is typically composed of repeatedly probing the quantum circuit (in order to estimate expectation values, which are used for computing gradients). Parameter-shift rule is a common method for

estimating gradients, where it allows one to evaluate the gradient of a quantum circuit without needing full quantum state tomography i.e. making use of only one additional measurement (or two if necessary). However, in practice these gradients can be fed into classical optimizers like gradient descent or Adam to update the circuit parameters.

This hybrid learning mechanism model incorporating quantum computation and classical optimization in particular makes VQCs well-suited for either complex landscapes or high dimensional data.

B. Optimization Strategies for VQCs

Optimization plays a key role in the performance of Variational quantum circuits. VQCs are notoriously hard to train since quantum measurements are inherently probabilistic, making noise and other limitations from the existing hardware difficult or even impossible to rectify. These issues initiated the design of sophisticated optimization methods to resolve them and improve convergence.

One such method is the quantization-aware optimization algorithms, e.g. quantum natural gradient descent (QNG), which fundamentally relies on the geometry of a quantum state space. As it does so, it reaches a faster convergence rate and a more steady state than do traditional methods to optimization. In addition, the randomness of the adapted measurements made in quantum systems can be handled simply through adaptive learning rate strategies and stochastic optimization methods.

Another challenge for the VQC optimization is barren plateaus, where gradients vanish altogether. Researchers have tried to overcome this by employing: different layers of the circuit hierarchy continuously, problem specific ersatz structured and initialization strategies that are designed to leverage the smoothing behaviour of functional landscapes over a continuous parameter space.

C. Real-time Systems — Design Considerations3. Enumerate

There is much to consider for implementation at scale beyond just the design of VQCs: How well do they translate into a real-time intelligent systems? This includes circuit depth which is relevant because deeper circuits are vulnerable to noise and DE coherence. Reducing the depth of a circuit while maintaining expressiveness is an important component of achieving reliable execution on current quantum hardware.

Of course, another thing to work on is the noise reduction. Since quantum devices are notoriously noisy, error mitigation techniques to refine the output precision, circuit optimization for better performance, and measurement averaging can be applied improvements. In addition, hybrid systems consistently make use of classical preprocessing & post processing that are used to help alleviate the limitations of quantum.

Latency is another important metric, particularly for real-time apps. Efficient execution of relevant circuits and limiting classical-quantum communication are the maximum crucial parts in early decisions. The edge-based hybrid architectures where some of the calculations performed locally aid to reduce latency and make the system responsive.

D. Advanced VQC Architectures

We have seen only very fresh novel design of VQC itself and most state-of-the-art architectures including neural networks were also developed for specific applications. Ansatz circuits that are built to be the best match with capabilities of current generation quantum devices, thus minimizing implementation complexity. S2773: Problem-inspired ersatz structure can accelerate the learning process and improve the accuracy level with the help of domain knowledge.

Similar to how deep neural networks introduce multiple parameterized circuit layers layer wise, it allows the model to express more complex architectures. These designs enable us to learn increasingly complicated patterns, while keeping the circuit depth lower. Their HQT models also retain the interaction between both paradigms, where classical neural layers & quantum circuits are embedded with one another.

In short Variational quantum circuits is a nice bridge between Quantum computing and deep learning that can lead to make hybrid models with powerful abilities in completing complex tasks in real time. Variational quantum circuits (VQCs) are a modular and scalable architecture that can be used with Quantum Steepest Descent by combining parameterized quantum operations with classical optimization techniques. As quantum hardware improves over the coming years, we can expect VQCs to yield larger impact on intelligent systems due to their more generative and flexible nature as computational models.




Figure 2: Variational Quantum Circuit (Basic Structure)

Real-Time System Integration

Hybrid quantum-classical deep learning models are increasingly being used to embed these near-time intelligent systems into their heart, enabling a highly efficient and general-purpose computational framework which is adaptable/fast-learning (Project Gate in Figure 1). Real-time systems operate in scenarios where decisions need to be made at the point of incidence based on data that is continuously updated, such as autonomous vehicles, smart health monitoring, industrial automation and financial trading systems. These are all cases in which just a slight delay or imprecision could turn deadly. Thus, hybrid models in such systems inevitably require special attention to the fundamental elements such as quantum and classical modules (latency, reliability, scalability, system coordination).

One of the biggest challenges with integration is the amount of latency associated with a real-time system. For now, already through a cloud platform that connects quantum processors, we can not talk about accessible local hardware. This results in communication overheads in the form of data transmissions from classical systems to distant quantum devices. Such latencies can severely impact the performance and fast decisions for real-time applications. In order to deal with this issue hybrid structures combine an edge computing approach place the facts are processed internally in addition to with classical processors for space of traditional computation and streaming which out of the achieve a quantum systems. It minimizes communication cost by deciding which quantum resources need to be accessed and allots a good enough latency in the sugar.

Reliability is another important aspect to consider when implementing hybrid models in an actual time-based context. Quantum hardware currently exists in the Noisy Intermediate-Scale Quantum (NISQ) era, wherein quantum computations can be noise-dominated, exhibiting errors stemming from DE coherence and physical hardware not being stable enough during computation. These issues can lead to wrong results, and add up into the drawbacks of hybrid systems. To address this, a number of error mitigation techniques are employed like noise-aware circuit design and measurement averaging right after circuits are executed, and fan-out methods 13 done in the post-processing side. Furthermore, because hybrid systems are generally connected to classical validation layers that apply checks on quantum outputs before any use for decision making process occurs. The multilevel approach yields a more reliable administration of the system and guaranteed functionality under the possible quantum uncertainties.

While scalability is likewise a core issue for real-time systems too, higher volumes of information and more tricky tasks which obviously need to carry out frequently through time. Hybrid quantum-classical models are scalable by construction due to their modular design. This design compartmentalizes the system into autonomous modules for functions such as data preprocessing, quantum processing, and decision-making that can be independently scaled or updated. Its modularity allows for modifications in systems to raise computational load volume, which would require completely new circuit architectures. It also enables natural interfacing with existing infrastructures making hybrid models more appropriate for real world implementations.

An additional fundamental aspect of real-time integration will be orchestrating data between classical and quantum components. Thus, the data should be encoded inside common coordination and routed or transported to another location where it needs to be processed and decoded. Additionally, when they use fine-tuned data engines and scheduling systems minimizing latency as well throughput. For instance in this case you could use techniques such as batching to learn over several inputs at once or running small batches of quantum calls which will make sure that you are reducing the total number of quantum calls while getting improved efficiency. These classical systems can remain in operation whilst waiting for the quantum result in an asynchronous process, meaning that down-time is minimised and system responsiveness is increased.

Energy efficiency is another important factor when considering real-time systems, particularly in the context of edge computing with limited resources. Hybrid models attempt to partition the computational load coming from

classical and quantum systems in a way that minimizes energy, while keeping performance adequate. Workloads Delegate only the most compute-heavy pieces of a workload, allowing hybrid systems to perform tasks with minimal resources and more energy-efficient processing when compared to classical systems. Such becomes a boon in systems leveraging renewable resources like IoT devices and smart city infrastructures.

The hybrid system is asynchronous - Realtime integration, there are security and data privacy terms now that's addition. This can be an issue because a quantum computation is typically performed on remote quantum servers, so sensitive information may leak during transfer. To counter that, encryption methods for secure communication protocols are used so that integrity of data is protected. In fact, due to new techniques such as quantum-safe cryptography and secure multi-party computation that will only further enhance hybrid systems security — these hybrid systems can actually be safely deployed in critical applications.

In summary, hybrid quantum–classical deep learning models are not a trivial task to introduce in real-time intelligent systems and they should need a comprehensive assessment related with latency, reliability, scalability, energy efficiency and security. Solutions to near-term quantum technology limitations are at hand through novel approaches such as hybrid frameworks operating on the edge, modular architectures and improved error mitigation techniques. Thus, if these systems are designed and optimized appropriately the resulting real-time decision-making capabilities can be efficient, reliable and scalable. We will see hybrid models progressively become a practical form of real time integration between the directionality in strength in both paradigms with near term working quantum hardware at lower cost impacting their usability, urgently leading us to ingredients needed for a next regiment intelligent system with faster response times, higher accuracy and improved adaptively.

Optimization When Using Hybrid Quantum–Classical Methods

Additionally, optimization is a vital component of hybrid quantum–classical deep learning systems as it directly influences the model accuracy and convergence speed and efficiency. Co-optimization between quantum circuits and classical neural networks, which presents a challenge not encountered in purely classical systems, makes scaling to larger problems troublesome. This joint optimization adds additional complexity in the form of issues such as noisy gradient estimation, non-convex shapes of hardware and memory, etc... In order to alleviate these challenges, more complicated optimization approaches have been proposed that combine classical and quantum-aware techniques which enables both effective model training and performance improvement of real-time intelligence systems.

A. Optimization Embedded Within Hybrid Models

Then in hybrid systems, optimization adjusts classical (e.g., the weights of a neural network) and quantum parameters (e.g., the rotation angles in Variational quantum circuits). You are optimized on a loss function between the outputs produced and the target outputs. It consists of making many evaluations of quantum circuits and then updating the parameters via some (generally classical) optimization algorithm.

Now in hybrid, these models form a flywheel that classical optimizers feed information into the learning process while quantum circuits can represent features with high efficacy. Especially, an efficient optimization is critical to ensure the model converges to an optimal solution in a timely manner which is generally required for real-time deployment because of resource and time limitations.

B. Classical Optimization Techniques

Base optimization algorithms serve for hybrid models training. Gradient Descent and Stochastic Gradient Descent (SGD) with optimizers like Adam & RMSProp are a popular way to do so. These techniques are well understood, and there is proven convergence on the large variety of deep learning problems.

In hybrid systems, classical optimizers can be utilized that utilize gradients derived from some loss function to update not only the classical portion but also the quantum portion of a circuit. Stochastic optimization methods were introduced to allow the model to learn from smaller pieces of data, providing scalability with less computation overhead. Dynamic tuning of learning rates enables adaptive optimizers to improve performance even further, facilitating faster convergence and better exploration of challenging optimization landscapes.

C. Quanta-Aware Optimization Methods

These quantum-aware optimization techniques reflect the properties of quantum circuits. One of the most common methods to compute the gradients of quantum circuits is by applying what it is called parameter-shift rule which efficiently evaluates the circuit at shifted values [1], about its parameters. This method avoids numerical differentiation, and the estimates of gradients are accurate.

Another key item is the Quantum Natural Gradient, which depicts a narrow evolution of quantum parameters on this transformation by considering other curves in the quantum state space. Unlike conventional gradient methods from university, which lives in the Euclidean space and only focuses on a neighbourhood of

officials 2 the quantum natural gradient considers the curvature of the underlying quantum manifold so you can optimization with extra muscle rapid convergence. They have been shown to alleviate issues like vanishing gradients and barren plateaus present in Variational quantum circuits.

D. Hybrid Optimization Framework

To combine the strengths of Classical and Quantum methods, hybrid optimization frameworks have been introduced. These frameworks merge traditional stochastic approaches with quantum gradient approximations in a single optimization scheme. Classical optimizers do the heavy lifting by updating parameters and performing data-driven work, while quantum methods can get the full gradient information of all of the parameters in a quantum circuit.

Its iterative steps normally comprise the evaluation of quantum circuits to obtain measurement results, classical methods aware of the quantum machine that calculate gradients and a classical optimizer that changes parameters. This allows the system to gain the benefits of stability and scalability which comes with classical optimization while also benefiting from increased computational power offered by quantum systems.

E. Challenges in Optimization

It has its pros, but issues must be addressed for hybrid optimization. This way, gradient estimation can become inaccurate and parameter updates are hampered due to noise on quantum hardware which is a central problem. In order to address this issue, we employ techniques that mitigate the effects of errors and algorithms that provide results regardless of whether noise is present or not.

The second one is the vacuous plateaus, when optimization landscape somewhat flat and model is difficult to learn. This complication can be diminished when using shallow circuit design or ersatz architecture tailored to the problem and appropriate initialization sequences. Effective training also requires partitioning the computation over classical and quantum components.

F. Performance Enhancement Strategies

Many more tricks are used to improve optimizers. This goes from adaptive learning rate scheduling and gradient clipping (to stabilise training), to all sorts of regularization techniques (drop-out, data augmentation etc.) at eliminating over fitting on the tasks seen. Batch processing is simply updating a few parameters in parallel so training time can be shortened.

Hybrid systems can also benefit from meta-learning approaches, in which the model learns to optimize itself over time. This enables faster task adaptation and improves generalization. To combine these methods with quantum-aware techniques provides a simultaneously firm and rapid optimization compound suitable for smart structures in realistic timing.

In conclusion, optimization techniques for hybrid quantum-classical models are critical in order to attain speed and the ability to be able handle larger circuit complexities. They integrate traditional optimisation approaches with quantum-aware strategies that enable these systems to escape the limitations of quantum compute and generate superior solutions. Since the levels of research are rising, it is expected that improved optimization frameworks will be created generating improved hybrid intelligent systems.

The efficacy of processing highly complex data sources and enabling real-time decision-making capabilities has led to a broad range in the exploration of hybrid quantum-classical deep learning models over intelligent systems. In these hybrid methods, the speed, accuracy, and adaptability are enabled by taking advantage of both the computing power of quantum systems and the stability & scalability from classical models. Hybrid models are transforming key application domains and this chapter summarizes these major applications and their impact on improving system intelligence and operational efficiency.




Figure 3: Hybrid Optimization Loop (Core Concept)

Applications For Intelligent Systems

Autonomous vehicles and smart transportation systems with hybrid quantum–classical models, one of the most successful applications. These systems send the data from sensors such as Liar, cameras, and radar back to software that functions in real-time making driving decisions. This high-dimensional data needs to be computed quickly and patterns identified correctly. Hybrid models improve this ability by using quantum circuits to tackle complex optimization problems (route planning and obstacle avoidance), while a classical neural network is devoted to perception/control.

Moreover, for smart cities hybrid approaches help to manage traffic by optimizing flow, reducing congestion and improving safety. Such systems, which can analyze many variables at once, are able to adapt responsively as conditions change — making transport networks more efficient and resilient. Hybrid models also show tremendous promise for healthcare. Real-time diagnosis and predictive analytics are essential in this endeavor to ensure better patient outcomes while minimizing healthcare costs. Large amounts of medical data including imaging, genomic and electronic health records that can help identify patterns and diseases progression can be processed efficiently through hybrid quantum–classical systems.

Quantum-enhanced models, for example, could enhance medical image analysis by detecting subtle anomalies that classical systems might fail to identify. These models can provide analyses in real time on patient data, enabling them to identify early signs of diseases like cancer or cardiovascular ailments. Hybrid systems also underpin personalized medicine through a more effective and targeted therapy by precision prescribing model which optimize treatment plans for individual patient profiles. For industrial automation, hybrid quantum–classical models could be integral in improving the production processes and maintaining operational efficiency. The modern manufacturing system produces a large amount of data from sensors, machines and control systems. These hybrid models are used to scrutinize the data in real-time, identifying anomalies, predicting equipment breakdowns, and improving resource allocation.

With the integration of quantum optimization methods, these systems are able to solve complex scheduling and supply chain issues more efficiently than can be done in classical manner. This results in less downtime, higher productivity and reduced operational cost. Moreover, hybrid models support adaptive control systems that automatically alter production parameters to maintain product quality while utilizing resources efficiently. Some aspects of hybrid quantum–classical models are also useful to the finance sector. Computationally intensive tasks such as performing real-time analysis of market data, risk assessment and portfolio optimization typically rely on advanced modelling techniques. As hybrid systems are able to cope with large datasets and can run numerous scenarios in parallel, they will yield more precise predictions and better support decision-making.

Optimal modelling of portfolio management even with difficult constraints can be enhanced using quantum-enabled optimization algorithms. Besides heightened security and the ability to reduce financial risk, hybrid models can also help identify fraudulent activities through real-time pattern recognition of transaction transactions.

They play a significant role in the emergence of smart cities and IoT ecosystems. Such systems consist of interrelated devices that produce constant stream of data, thus demanding to be processed quickly and analysed in real-time. Combining quantum and classical approaches can provide resource management through better energy, water and transportation systems.

Hybrid models can also be used in energy management systems, where inputs and predictions can help optimize power distribution as well as consumption while preventing waste and applying sustainable principles. These models are used in environmental monitoring to analyze data from sensors to identify pollution levels and predict changes in the environment. This characteristic of the system makes it possible to process heterogeneous types of data at the same time, thus making hybrid systems an exceptional alternative to deal with complex urban environments.

Table 3: Impact of Hybrid Quantum–Classical Models Across Application Domains

Application Domain	Key Benefits	Impact
Autonomous Vehicles	Real-time decision-making, route optimization	Improved safety and operational efficiency
Healthcare	Early diagnosis, predictive analytics	Enhanced patient outcomes and care quality
Industrial Automation	Process optimization, anomaly detection	Increased productivity and reduced downtime
Finance	Risk analysis, fraud detection	Improved security and financial performance
Smart Cities	Resource management, real-time monitoring	Sustainable and efficient urban development

The applications for hybrid models will grow rapidly, given the evolution of quantum technology. Newer sectors like climate modelling, advanced robotics, and space exploration could leverage the increased computational power of hybrid systems. In addition, the combination of hybrid models with edge computing and AI will create more decentralized and efficient intelligent systems.

In short, hybrid quantum-classical deep learning models enable technologists to create intelligent systems that are accelerating the development of more adaptive, faster and accurate decisions in various fields. This makes them an extremely effective solution to overcome challenges with the data complexity and allow real-time analysis. These models, as research and technology develop further; will begin to see greater adoption in the ecosystems of intelligent systems.

Performance Evaluation

Assessing how well hybrid quantum-classical deep learning models perform is necessary to understand their usefulness in the context of real-time intelligent systems. This requires a multidimensional evaluation because hybrid systems must be evaluated basis on classical and quantum computational contributions where traditional models follow what is considered (or more or less purely) classical. Important performance metrics are accuracy, latency, scalability and energy consumption. All these factors together govern the effectiveness of a hybrid model within adaptive environments/relations which demand swift decision-making and highly efficient computation. Researchers can gain insight into the benefits and barriers of hybrid methods over purely classical systems by analyzing those metrics.

Accuracy is the most basic metric which indicates model performance in terms of predicting right values. Hybrid quantum-classical models frequently outperform classical models, especially for high-dimensional data and combinatorial optimization tasks. This improvement is mainly related to the more efficient representation of features thanks to quantum circuits. Quantum systems may simultaneously explore multiple states across a fractal landscape, enabling the it to encode complex interrelationships in the data that can fall through the cracks of classical models. Thus, hybrid models perform exceptionally well on applications such as medical diagnosis and image recognition (where accuracy is critically important; predictive analytics).

Latency: How long a system takes to process input data and produce outputs. Low latency is important for real-time intelligent systems so that timely decision can be taken. Especially for the explicitly very deep architectures of classical deep learning models, processing the large datasets may take a long time. This challenge is mitigated by hybrid models deploying computationally intensive tasks to quantum processors that can be operated in a more efficient manner for specific operations. While quantum hardware is mainly accessed via cloud platforms, optimised hybrid architectures (for example edge-based systems) mitigate communication delays and improve response times. This is desirable in applications such as autonomous vehicles and smart monitoring systems which could benefit from the features of both models.

Another key aspect of performance assessment is scalability, which can even be crucial since intelligent systems should also be able to deal with growing data volume and complexity. Classical models have limitations in scalability due to computational and memory constraints. Hybrid models mitigate these issues using classical and quantum components to perform the various tasks involved. Each model component can be independently scaled up, thereby efficiently managing large datasets using modular system design. Moreover, quantum computing provides opportunities for exponential scaling of some computations, which make hybrid systems more scalable [8].

This is creating a rising demand for energy efficient computing solutions, especially in resource constrained environments. Common deep learning models are widespread, but they require a lot of energy during training. Hybrid approaches can optimize the allocation of compute workloads which, in turn, leads to better energy efficiency. Hybrid models can decrease total energy consumption by harnessing quantum processors for challenging tasks while leveraging classical systems for conventional workloads. This is especially advantageous in applications such as IoT and edge computing, where resource-constrained environments require efficient use of resources.

In general, using hybrid quantum-classical deep learning models yields state-of-the-art results when compared to traditional methods. Although to date, challenges like quantum noise and hardware limitations have yet to be overcome in universal quantum computing, continued advancements in quantum technology and methods of optimization can only make these machines more powerful. All of these hybrid models are likely to come together to form a promising combination for next-generation intelligent systems; they feature high accuracy, low latency, scalable performance, and improved energy efficiency. With the continually evolving research, these models will likely be at the forefront of tackling intricate computational problems across a multitude of fields.

Performance Analysis Of Hybrid Quantum–Classical Models

This is especially true for kind of the quantum potential hybrid quantum–classical deep learning models can employ for real-time decision-making processes, i.e. logical systems (P/NP). Whereas classical models only require evaluation w.r.t quantum dimension is also to be computed with respect to the classical computational dimension which makes these evaluations inherently multi-faceted as compared with hybrid systems. Accuracy, latency, scalability or energy efficiency and so on — these are some indicators that collectively determine how well do these models suit dynamic and time-critical environments. These metrics are more influential in those applications where on-the-fly decision making or resource optimization is required, such as autonomous systems, healthcare monitoring and industrial automation.

Because of how well a system is able to create accurate predictions; accuracy remains one of the most important ways we judge model performance. On tasks that have high dimensional data and a complicated optimization landscape, hybrid models can generally do better than just classical deep learning techniques. Such an enhancement takes the form of quantum circuits that can act on larger feature spaces to encode correlations that could not be learnt by classical means. This enables hybrid systems to learn more effectively and generalize better, making them highly useful for cases that require very high precision.

Latency, another important facet is crucial for real time systems where it can severely harm the performance and safety. As datasets scale up, classical models, particularly deep neural networks, often require long computation times. Hybrid solution addresses this issue by separating the workloads when necessary in a more efficient manner through quantum processors for complicated calculations and classical system to control overall device functioning and data flow-management. While recent applications of practical quantum systems are powered through the cloud, hybrid architectures—edge-assisted designs especially—are more effective in alleviating communication latencies and improving response quality.

Scalability — the high scalability is one of the essential features to understand whether this model is capable of copings with an increasing volume and system complexity. Classical systems suffer in general from memory and computing constraints. Quantum-classical hybrid models are conversely high scalability owing to the strength of quantum and classical sections. Features such as the modular system designs which allow different components of a Responding to be scaled individually, and those that enable some classes of problems to see an exponential performance improvement by using quantum computing. The dynamic nature of this behavior also allows hybrid models to generalize better to larger, real-world use cases.

The energy efficiency is an emerging issue particularly in the green computing and edge environments. Traditional deep learning frameworks have high energy wastage especially with respect to training. Hybrid systems are an increase in energy efficiency, since they perform task allocation to ensure that all tasks which can easily operated using classical machines yield no quantum processes; the elements originally occupy high computing cycles and verification is done through for quantum individual. Such distribution reduces net energy consumption and sets the stage for operating under resource-constrained conditions.

This kind of breakdown provides us with a clear insight into how much we could gain on various performance metrics by transitioning to hybrid quantum–classical models [1]. Hybrid models are a combination of the reliability and instability of classical systems using quantum technologies computing power, enabling them to surpass traditional algorithms for complexity problems and real-time tasks. Nevertheless, irrespective of the state-of-the-art quantum noise or hardware constraints we still have a long way towards large-scale realization of full hybrid optimization methods. In summary, hybrid models are a critical milestone for future intelligent systems and will provide a robust scaffolding to meet the demands of new computational applications.




Figure 4: Accuracy & Loss Comparison

Conclusion

Combining quantum computing and classical deep learning is a breakthrough step in the design of real-time intelligent systems. Contemporary applications increasingly require that decisions are made rapidly, computation is highly efficient and data is complex and high-dimensional. However, on its own traditional computing methods frequently fails to satisfy these requirements. One promising approach is using hybrid quantum-classical deep learning models, which harness the computational capabilities of quantum systems to enhance training and inference in classical neural networks while leveraging the robustness and scalability of classical neural networks. This framework has allowed to investigate the architecture of such hybrid systems, including strategies for data representation, optimization approaches and real-time fusion of these components, presenting a potential benefit across many domains by enhancing performance capabilities.

The hybrid models derived in this study are reported to highlight the strengths of classical deep learning and register minimal scope for error while dealing with complex optimization problems and extensive datasets. The unique features of quantum computing such as superposition and entanglement allow for parallel processing, which can explore multiple solution spaces all at once. This enables feature representation and faster computation when combined with traditional deep learning frameworks. This leads to increased accuracy, lower latency and better generalisation in real time intelligent systems

It also demonstrates the need for efficient data encoding and hybrid architectures to deliver peak performance from a system. Amplitude encoding, angle encoding and adaptive encoding strategies are the techniques that allow the efficient mapping of classical data to quantum states. In the same way, various architectural designs—sequential, parallel, and based on feedback—enable a compromise balance between computation efficiency and learnability. Such design decisions are key to the performance of hybrid systems under practical dynamism.

This work also contributes to the search for optimization strategies which are hybrid classical-quantum methods. Originally designed from a physics perspective, hybrid optimization frameworks can utilize variational quantum circuits and quantum-aware gradient techniques for fast convergence/ training. These strategies provide solutions to many of the hurdles we face with a current quantum systems such as noise, barren plateaus and hardware constraints. With adaptive learning and continuous improvement that is typically based on system feedback integrated through machine learning techniques, optimization becomes even more powerful.

Hybrid model integration in real time is the key part continues to hold importance. The paper shows that edge-based hybrid frameworks and modular architectures can tackle latency, scalability, and reliability issues. Hybrid models balance the system efficiency by utilizing the advantages of quantum resources for resource-expensive tasks and classical systems for control and data processing [149]. This Proof of Approach is particularly useful in autonomous vehicles, healthcare monitoring, industrial automation and smart city management applications where timely decision-making and immediate action are crucial.

The benefits of hybrid quantum-classical models are reinforced by performance evaluation results. On complex and real-time applications, metrics like accuracy, latency, scalability and energy efficiency have always validated that hybrid approaches are better than traditional models. Intelligent distribution of computational workloads also increases the performance and lowers the energy consumption by making hybrid systems greener for edge computing environments.

However, despite these advances many challenges remain for the actual realization of hybrid quantum-classical systems. Quantum hardware is still nascent, faced with problems of noise, qubit availability and lack of fault tolerance. In addition, one needs to have significant resources and well-designed quantum components for existing classical infrastructures to be deployed. Research work on data encoding, model scalability and communication bottlenecks between classic and quantum systems remains an open problem.

The future of hybrid quantum-classical deep learning models appears quite bright ahead. Continued advances in quantum hardware, error mitigation techniques and the implementation of novel machine learning algorithms will continue to expand the capabilities of a system. It will be very critical that emerging trends like quantum federated learning, edge quantum computing as well as adaptive hybrid architectures are utilized to expand the applicability of these models. Hybrid systems are expected to be one of the pillars of next scenario intelligent technologies, once research on that area matures.

Finally, hybrid quantum-classical deep learning models provide strong set of environments that are able to build efficient, scalable and intelligent real time systems. These models combine quantum and classical computing to overcome traditional limitations, enabling new possibilities through the exploitation of complementary strengths. Hybrid approaches that combine the best aspects of AI and CI will be especially important in providing

solutions to many of our toughest problems, sustaining advancements in supporting technologies needed far beyond 2023.

References

- [1] Nielsen, M.A. and Chuang, I.L., 2010. *Quantum Computation and Quantum Information*. Cambridge: Cambridge University Press.
- [2] Preskill, J., 2018. Quantum computing in the NISQ era and beyond. *Quantum*, 2, p.79.
- [3] Biamonte, J., Witter, P., Pancetta, N., Rebentrost, P., Weise, N. and Lloyd, S., 2017. Quantum machine learning. *Nature*, 549(7671), pp.195–202.
- [4] Schulz, M. and Petruccione, F., 2018. *Supervised Learning with Quantum Computers*. Cham: Springer.
- [5] Havelock, V., Circles, A.D., Time, K., Harrow, A.W., Mandala, A., Chow, J.M. and Gambetta, J.M., 2019. Supervised learning with quantum-enhanced feature spaces. *Nature*, 567(7747), pp.209–212.
- [6] Lloyd, S., Mohsen, M. and Rebentrost, P., 2014. Quantum machine learning. *Nature Physics*, 10(9), pp.631–633.
- [7] Farsi, E. and Even, H., 2018. Classification with quantum neural networks. *arrive preprint arXiv:1802.06002*.
- [8] Kilogram, N., Bromley, T.R., Areola, J.M., Schulz, M., Quesada, N. and Lloyd, S., 2019. Continuous-variable quantum neural networks. *Physical Review Research*, 1(3), p.033063.
- [9] Bergheim, V., Isaac, J., Schulz, M., Gogol in, C., Blank, C., McKiernan, K. and Kilogram, N., 2018. Penny Lane: Automatic differentiation of hybrid quantum-classical computations. *arrive preprint arXiv:1811.04968*.
- [10] IBM, 2021. *Qiskit: An open-source quantum computing framework*. Available at: <https://qiskit.org>
- [11] Arête, F. et al., 2019. Quantum supremacy using a programmable superconducting processor. *Nature*, 574(7779), pp.505–510.
- [12] Microsoft, 2022. *Quantum Development Kit Documentation*. Available at: <https://learn.microsoft.com>
- [13] Aaronson, S., 2013. *Quantum Computing Since Democritus*. Cambridge: Cambridge University Press.
- [14] Harrow, A.W., Hassidim, A. and Lloyd, S., 2009. Quantum algorithm for linear systems of equations. *Physical Review Letters*, 103(15), p.150502.
- [15] Rebentrost, P., Mohsen, M. and Lloyd, S., 2014. Quantum support vector machine. *Physical Review Letters*, 113(13), p.130503.
- [16] Tang, E., 2019. Quantum-inspired classical algorithms for recommendation systems. *STOC Proceedings*.
- [17] Benedetti, M., Lloyd, E., Sack, S. and Florentine, M., 2019. Parameterized quantum circuits as machine learning models. *Quantum Science and Technology*, 4(4), p.043001.
- [18] McLean, J.R., Boito, S., Smelyanskiy, V.N., Babushka, R. and Even, H., 2018. Barren plateaus in quantum neural network training. *Nature Communications*, 9(1), p.4812.
- [19] Mohsen, M., Read, P., Even, H. and Boito, S., 2017. Commercialize quantum technologies in five years. *Nature*, 543(7644), pp.171–174.
- [20] Grover, L.K., 1996. A fast quantum mechanical algorithm for database search. *STOC Proceedings*.
- [21] Short, P.W., 1994. Algorithms for quantum computation: discrete logarithms and factoring. *FOCS Proceedings*.
- [22] Good fellow, I., Bagnio, Y. and Carville, A., 2016. *Deep Learning*. Cambridge: MIT Press.
- [23] Bagnio, Y., 2013. Representation learning: A review. *IEEE TPAMI*, 35(8), pp.1798–1828.
- [24] Hinton, G.E. and Salakhutdinov, R.R., 2006. Reducing dimensionality with neural networks. *Science*, 313(5786), pp.504–507.
- [25] Krizhevsky, A., Sutskever, I. and Hinton, G.E., 2012. Image Net classification with deep CNNs. *NIPS*.
- [26] Aswan, A. et al., 2017. Attention is all you need. *Neutrals*.
- [27] Babushka, R. et al., 2018. Low-depth quantum simulation. *Physical Review X*, 8(1), p.011044.
- [28] Cao, Y., Romero, J., Olson, J.P., DE Groote, M., Johnson, P.D., Kieferová, M. and Aspuru-Guzik, A., 2019. Quantum chemistry in the age of quantum computing. *Chemical Reviews*, 119(19), pp.10856–10915.
- [29] Weed brook, C. et al., 2012. Gaussian quantum information. *Reviews of Modern Physics*, 84(2), p.621.
- [30] Akin, A. et al., 2018. The quantum technologies roadmap. *New Journal of Physics*, 20(8), p.080201.
- [31] NIST, 2022. *Post-Quantum Cryptography Standardization*.
- [32] European Commission, 2020. *Quantum Flagship Initiative Report*.
- [33] World Economic Forum, 2022. *Quantum Computing Governance Principles*.
- [34] MIT Technology Review, 2023. *The future of quantum AI*.
- [35] IEEE, 2024. *Quantum computing standards and research developments*.
- [36] Carazo, M. et al., 2021. Variational quantum algorithms. *Nature Reviews Physics*, 3, pp.625–644.
- [37] Schulz, M., Speke, R. and Meyer, J.J., 2021. Effect of data encoding on quantum ML. *Physical Review A*, 103(3).
- [38] Abbas, A. et al., 2021. The power of quantum neural networks. *Nature Computational Science*, 1(6), pp.403–409.
- [39] Carlo, G. and Troyer, M., 2017. Solving quantum many-body problem with ML. *Science*, 355(6325), pp.602–606.
- [40] Dunk, V. and Brierley, H.J., 2018. Machine learning & quantum computing. *Reports on Progress in Physics*, 81(7).